

Factoring Trinomials

Factoring Trinomials

Notice when you multiply two binomials, many times you get a trinomial.

$$\text{ex: } (x + 2)(x + 3) = x^2 + 3x + 2x + 6 = x^2 + 5x + 6$$

Let's figure out how to factor trinomials.

Ex 1.

$$\text{Factor: } x^2 + 6x + 8$$

Ex 2.

$$\text{Factor: } 2x^3 - 18x^2 + 40x$$

Ex 3.

$$\text{Factor: } z^2 - zw - 6w^2$$

Ex 4.

$$\text{Factor: } x^2 + x - 5$$

Polynomials that can't be factored (over the integers) are called _____.

Grouping Method

To factor $ax^2 + bx + c$ using the **grouping method**:

1. Find factors of _____ whose sum is _____.
2. Rewrite _____ as using factors from step 1.
3. Factor by grouping.

Ex 5.

Factor: $8x^2 - 22x + 5$

Ex 6.

Factor: $3x^2 - 17x - 28$

Factoring by Substitution**Ex 7.**

Factor: $x^6 - 7x^3 + 10$

Practice

1. Factor completely: $y^2 + 19y - 66$
2. Factor completely: $3x^3 - 15x^2 - 42x$
3. Factor completely: $-x^2 + 5x + 6$ (Hint: factor out a -1 first to make things easier)
4. Factor completely: $2x^2 - 7xy + 3y^2$
5. Factor completely: $6x^2 - 19x + 15$
6. Factor completely: $6x^6 + 19x^5 - 7x^4$
7. Factor completely: $3y^4 + 10y^2 - 8$

Q: What is it that you will break even when you name it?